
Four-axle, four-tank, Hungarian made railway wagon, discharge sysem: discharge at the top of the wagon, with air supply to each tank



Technical data

Maximum length:	13 260,0 mm
Maximum width:	2 800,0 mm
Maximum height:	4 191,0 mm
Weight (ca):	24,5 tons
Load capacity (ca):	55,5 tons
Cubic capacity:	4 x 12 m ³
Total capacity:	48,0 m ³
Maximum working pressure:	3,0 bar

Loading limits

	Α	B1	B2	С
S	39,5	45,5	47,5	55,5
120	00			

Capable of RIV traffic without restrictions

Signs

- 1. Manometer (pressure measuring device)
- 2. Air release valve
- 3. Top cover cap
- 4. Top cover screw
- 5. Diameter 52 mm (type C) air charging coupling with caps on both ends (DIN 14332,14307, ÖNORM F2131,MSZ 1057)
 Cap of air charging pipe (DIN 14332,14307,
- ÖNORM F2131,MSZ 1057)
 6. Diameter 110 mm(type A) material discharging pipe's coupling with cap (DIN 14303,ÖNORM
 - F2120, F2129,MSZ 1057)
 Cap of material discharging pipe (DIN 4303, ÖNORM F2120, F2129,MSZ 1057)
- 7. Discharging pipe
- 8. Fluidising device containing textile filter
- 9. Handbrake
- 10. Safety disc
- 11. Pipe of discharging air

